Index to Volume 88 of THE BRYOLOGIST[1,2]

Acaulon, 395
Acidodontium, 200
Aerobryidium subpiligerum, 138, 140
Africa (East), results of a bryogeographical expedition, 135+
Ahtiana, gen nov., 368+; **sphaerosporella**, comb. nov, 370+, distribution map of, 370
Alectoria sarmentosa, 318
ALLEN, B. H. A note on the genus Brotherobryum, 268
ALLEN, B. H. *See* CROSBY, M. R., B. H. ALLEN & R. E. MAGILL, 121
ALLEN, B. H. *See* SHAW, J. & B. H. ALLEN, 263
ALLEN, N. S. The life-form and presence of epigametophytic plants in the genus Leucophanes, 94
Aloina, 388+; brevirostris, 397*, 399*; hamulus, 356, 399*; rigida, 399*
Aloinella, 389+
Alophosia, 72
Alsia, 194+; californica, 194
Amblytropis, 124
Amphidium californicum, 35; cyathicarpum, *138*; tortuosum, 138
Anaptychia ulotrichoides, 19
Anastrophyllum auritum, 136
Anema, 287
Anoectangium canadense, *32*+
Anomobryum filiforme, 137, 141
Anomodon, 194+; attenuatus, 10+, 194+, 195*; minor, 347+
Aongstroemia julacea, 137, 141
Apotreubia, 337+
Archidium, 294
Arizona, additions to lichen flora, 19+
Arthonia dispersula, 19
Asahinea, 367+
Ascension Island, Roccellina jamesii, sp. nov., and Dirina insulana from, 131+
Aspicilia alpina, 19; aquatica, 19
Astomun, 217, *293*+; crispum, 310; ludovicianum, *299*+; muhlenbergianum, *299*; occidentale, *310*; phascoides, *310*
atranorin acid, 19
Atrichum, 232; angustatum, 182+, 196, 335; crispum, 334; undulatum, 10+, 197, 347+
Aulacomnium heterostichum, 120; palustre, 120; turgidium, 375
Australia, Austrolejeunea bidentata, a new species from, 350+; Collema pustulatum in, 130
Austrolejeunea, 350; **bidentata**, sp. nov., 350+, 351*; hispida, 350+; olgae, 350+; radulifolia, 350+

Bacidia atrogrisea, 318+; beckhausii, 19
Barbilophozia barbata, 30; kunzeana, 30
Barbula, 216, 299, 388+; agraria, 353, 400*; ehrenbergii, 24; lambarenensis, 137, 141; unguiculata, 217, 393*, 397*
BARTHOLOMEW, S. E. *See* RENZAGLIA, K. S. & S. E. BARTHOLOMEW, 337
BASILE, D. V., M. R. BASILE, Q.-Y. LI & W. A. CORPE. Vitamin B_{12}-stimulated growth and development of Jungermannia leiantha Grolle and Gymnocolea inflata (Huds.) Dum. (Hepaticae), 77
BASILE, M. R. *See* BASILE, D. V., M. R. BASILE, Q.-Y. LI & W. A. CORPE, 77
BAUER, C. R. & M. R. CROSBY. Recent literature on mosses—131–134: 48, 157, 275, 416
Bazzania decrescens, 136, 141; roccatii, 136, 141
BISCHLER, H. (review), R. Spruce. Hepaticae of the Amazon and the Andes of Peru and Ecuador (reprint), 165
BIZOT, M., T. PÓCS & A. J. SHARP. Results of a bryogeographical expedition to East Africa in 1968, III, 135
blepharoplast, morphology in Funaria hygrometrica, 325+
Blepharostoma, 341; trichophyllum, 135, 141
bourgeanic acid, 380
Brachymenium acuminatum, 137; philonotula, 137, 140
Brachythecium, 212; acuminatum, 347; curtum, 10+; plumosum, 10+; rivulare, 10+; rutabulum, 25
Braunfelsia, 268
Breutelia arcuata, 183; muhawurensis, 138, 141
BRODO, I. M. (review), R. Santesson. The Lichens of Sweden and Norway, 165
Brotherella **brasiliensis**, comb. nov., 28; tenuirostris, 27+
Brotherobryum deckockii, 268; macgregori, 268
BROWN, R. C. *See* CAROTHERS, Z. B. & R. C. BROWN, 325
Bruchia, 294
Bryhnia graminicolor, 349; novae-angliae, 10+
Bryoandersonia illecrebra, 120
Bryobrittonia, 266
Bryoerythrophyllum, 216
Bryoria furcellata, 317+; fuscescens, 318
Bryum, 200, 212; caespiticium, 349; erythrocarpum, 201; fragile, *36*; fusiferum, *29*; nudum, *263*; pseudotriquetrum, 349; reticulatum, *82*+; ruderale, 334
BÜDEL, B. *See* HENSSEN, A., B. BÜDEL & T. H. NASH III, 285
Buellia aethalea, 19

Calicium, 323; glaucellum, 19, 318+; salicinum 319; trabinellum, 318+
Callicostella abrupta, *127*
Caloplaca cerina, 318+; cladodes, 19; herbidella, 19; holocarpa, 318+; modesta, 287; tominii, 113
Calymperes, 224+; acuminatum, *102*; aduncifolium, *105*; aeruginosum, 99+; afzelii, 99+; albolimbatum, *102*; anisodictyon, *105*; aongstroemii, *107*; australe, *107*; bescherellei, *105*; boulayi, *107*; brachycaulon, *104*; brachyphyllum, *104*; brotheri, *107*; chamaeleonteum, *104*; chamissonis, *106*; contractulum, *104*; contractum, *104*; couguiense, 99+; crassinerve, 99+; cristatum, *100, 249*; cymbifolium, *107*; daemelii, *103*; datense, *227*; denticulatum, *103*; donnellii, *103*; dozyanum, 98+; dozyanum var. macrophyllum, *107*; ebaloi, *250*; emersum, 102; erosum, 99+; eutrichostomum, *107*; fasciculatum, 99+; francii, *101*; gardneri, *225*; geppei, *104*; gracilescens, *104*; graeffeanum, *106*; hampei, *102*; hasegawae, *105*; hombronii, *106*; hyalinoblastum, *107*; hyophilaceum, *107*; hyophilaceum var. robustum, *107*; var. timorense, *106*; incurvatum, *104*; japonicum, *227*; johanniswinkleri, *105*; johanniswinkleri var. hasegawae, *105*; var. johanniswinkleri, *105*; kanakense, *102*; kennedianum, *102*; ko-

[1] Compiled by K. Kendrick, Department of Biological Sciences, Lehman College of CUNY, Bronx, NY 10468.

[2] New scientific names and new combinations are printed in boldface type; illustrations are indicated by an asterisk; taxa discussed or mentioned several times in a paper are indicated by a plus sign; italicized page numbers indicate taxa in synonymy.

Index to Volume 88 of THE BRYOLOGIST[1,2]

Acaulon, 395
Acidodontium, 200
Aerobryidium subpiligerum, 138, 140
Africa (East), results of a bryogeographical expedition, 135+
Ahtiana, gen nov., 368+; **sphaerosporella**, comb. nov, 370+, distribution map of, 370
Alectoria sarmentosa, 318
ALLEN, B. H. A note on the genus Brotherobryum, 268
ALLEN, B. H. *See* CROSBY, M. R., B. H. ALLEN & R. E. MAGILL, 121
ALLEN, B. H. *See* SHAW, J. & B. H. ALLEN, 263
ALLEN, N. S. The life-form and presence of epigametophytic plants in the genus Leucophanes, 94
Aloina, 388+; brevirostris, 397*, 399*; hamulus, 356, 399*; rigida, 399*
Aloinella, 389+
Alophosia, 72
Alsia, 194+; californica, 194
Amblytropis, 124
Amphidium californicum, 35; cyathicarpum, *138*; tortuosum, 138
Anaptychia ulotrichoides, 19
Anastrophyllum auritum, 136
Anema, 287
Anoectangium canadense, *32*+
Anomobryum filiforme, 137, 141
Anomodon, 194+; attenuatus, 10+, 194+, 195*; minor, 347+
Aongstroemia julacea, 137, 141
Apotreubia, 337+
Archidium, 294
Arizona, additions to lichen flora, 19+
Arthonia dispersula, 19
Asahinea, 367+
Ascension Island, Roccellina jamesii, sp. nov., and Dirina insulana from, 131+
Aspicilia alpina, 19; aquatica, 19
Astomun, 217, *293*+; crispum, 310; ludovicianum, *299*+; muhlenbergianum, *299*; occidentale, *310*; phascoides, *310*
atranorin acid, 19
Atrichum, 232; angustatum, 182+, 196, 335; crispum, 334; undulatum, 10+, 197, 347+
Aulacomnium heterostichum, 120; palustre, 120; turgidium, 375
Australia, Austrolejeunea bidentata, a new species from, 350+; Collema pustulatum in, 130
Austrolejeunea, 350; **bidentata**, sp. nov., 350+, 351*; hispida, 350+; olgae, 350+; radulifolia, 350+

Bacidia atrogrisea, 318+; beckhausii, 19
Barbilophozia barbata, 30; kunzeana, 30
Barbula, 216, 299, 388+; agraria, 353, 400*; ehrenbergii, 24; lambarenensis, 137, 141; unguiculata, 217, 393*, 397*
BARTHOLOMEW, S. E. *See* RENZAGLIA, K. S. & S. E. BARTHOLOMEW, 337
BASILE, D. V., M. R. BASILE, Q.-Y. LI & W. A. CORPE. Vitamin B_{12}-stimulated growth and development of Jungermannia leiantha Grolle and Gymnocolea inflata (Huds.) Dum. (Hepaticae), 77
BASILE, M. R. *See* BASILE, D. V., M. R. BASILE, Q.-Y. LI & W. A. CORPE, 77
BAUER, C. R. & M. R. CROSBY. Recent literature on mosses—131–134: 48, 157, 275, 416
Bazzania decrescens, 136, 141; roccatii, 136, 141
BISCHLER, H. (review), R. Spruce. Hepaticae of the Amazon and the Andes of Peru and Ecuador (reprint), 165
BIZOT, M., T. PÓCS & A. J. SHARP. Results of a bryogeographical expedition to East Africa in 1968, III, 135
blepharoplast, morphology in Funaria hygrometrica, 325+
Blepharostoma, 341; trichophyllum, 135, 141
bourgeanic acid, 380
Brachymenium acuminatum, 137; philonotula, 137, 140
Brachythecium, 212; acuminatum, 347; curtum, 10+; plumosum, 10+; rivulare, 10+; rutabulum, 25
Braunfelsia, 268
Breutelia arcuata, 183; muhawurensis, 138, 141
BRODO, I. M. (review), R. Santesson. The Lichens of Sweden and Norway, 165
Brotherella **brasiliensis**, comb. nov., 28; tenuirostris, 27+
Brotherobryum deckockii, 268; macgregori, 268
BROWN, R. C. *See* CAROTHERS, Z. B. & R. C. BROWN, 325
Bruchia, 294
Bryhnia graminicolor, 349; novae-angliae, 10+
Bryoandersonia illecrebra, 120
Bryobrittonia, 266
Bryoerythrophyllum, 216
Bryoria furcellata, 317+; fuscescens, 318
Bryum, 200, 212; caespiticium, 349; erythrocarpum, 201; fragile, *36*; fusiferum, *29*; nudum, *263*; pseudotriquetrum, 349; reticulatum, *82*+; ruderale, 334
BÜDEL, B. *See* HENSSEN, A., B. BÜDEL & T. H. NASH III, 285
Buellia aethalea, 19

Calicium, 323; glaucellum, 19, 318+; salicinum 319; trabinellum, 318+
Callicostella abrupta, *127*
Caloplaca cerina, 318+; cladodes, 19; herbidella, 19; holocarpa, 318+; modesta, 287; tominii, 113
Calymperes, 224+; acuminatum, *102*; aduncifolium, *105*; aeruginosum, 99+; afzelii, 99+; albolimbatum, *102*; anisodictyon, *105*; aongstroemii, *107*; australe, *107*; bescherellei, *105*; boulayi, *107*; brachycaulon, *104*; brachyphyllum, *104*; brotheri, *107*; chamaeleonteum, *104*; chamissonis, *106*; contractulum, *104*; contractum, *104*; couguiense, 99+; crassinerve, 99+; cristatum, *100, 249*; cymbifolium, *107*; daemelii, *103*; datense, *227*; denticulatum, *103*; donnellii, *103*; dozyanum, 98+; dozyanum var. macrophyllum, *107*; ebaloi, *250*; emersum, 102; erosum, 99+; eutrichostomum, *107*; fasciculatum, 99+; francii, *101*; gardneri, *225*; geppei, *104*; gracilescens, *104*; graeffeanum, *106*; hampei, *102*; hasegawae, *105*; hombronii, *106*; hyalinoblastum, *107*; hyophilaceum, *107*; hyophilaceum var. robustum, *107*; var. timorense, *106*; incurvatum, *104*; japonicum, *227*; johanniswinkleri, *105*; johanniswinkleri var. hasegawae, *105*; var. johanniswinkleri, *105*; kanakense, *102*; kennedianum, *102*; ko-

[1] Compiled by K. Kendrick, Department of Biological Sciences, Lehman College of CUNY, Bronx, NY 10468.

[2] New scientific names and new combinations are printed in boldface type; illustrations are indicated by an asterisk; taxa discussed or mentioned several times in a paper are indicated by a plus sign; italicized page numbers indicate taxa in synonymy.

icaule var. sterile, *36*; homomallus var. divergens, *36*; var. sterile, *31*+; rigidulus var. gracilis, 356; sect. Fallaces, 217; sect. Graciles, 217; sect. Vineales, 217
Dimelaena novomexicana, 20; suboreina, 20
Diphyscium foliosum, 196
Diploschistes scruposus, 110+
Dirina, 131; insulana, 132+, insulana f. insulana, 133; f. sorediata, 132+, 133*
Dirinaria confusa var. saxicola, 20
Discelium nudum, 263+, 264*, 266*
Dissodon froelichianum, *82*+; hornschuchii, *82*+; scabrisetus, 82; splachnoides, *82*+
Distichium capillaceum, 33, 137; macounii, *32*+, *37**
Ditrichum, 294; brevifolium, 33; crispatissimum, 31+, 38*, 39*; drummondii, *36*; elatum, *33, 36*; flexicaule, 31+, 37*, 39*; flexicaule s.l., 31+; flexicaule s. str., 31+; flexicaule f. brevifolium, *36*; f. estellae, *36*; f. longifolium, *36*; f. luxurians, *35*+; f. rufescens, *36*; flexicaule var. compactum, *32*+, *37**; var. densum, *31*+, *37**; var. flexicaule, *31*+; var. laxum, *36*; var. longifolium, *33*; var. minus, *36*; var. sterile, *31*+; fragilicuspis, *32*+ *39**; giganteum, *32*+, *38**; macounii, *33*
Dominican Republic, new species of Fissidens, 74+
Donoghue, M. J. A critique of the biological species concept and recommendations for a phylogenetic alternative, 172
Drepanocladus, 11, 201; crassicostatus, 201
Dumortiera hirsuta, 137

Ectropothecium sericeum, 140
Egan, R. S. Recent literature on lichens—122–125: 41, 148, 269, 410
Encalypta, 201, 266
Engelmann, M. H. & T. E. Weaks. An analysis of the effects of strip-mining disturbance on bryophyte species diversity, 344
Enterographa insulana, *133*
Entodon cladorrhizans, 196+
Erpodium beccarii, 138, 141
erythrin, 132
Erythrodontium subjulaceum, 139, 141
Esslingeriana, 367+
Eucamptodon, 361; ciliatus, *361*; inflatus, 361; laevipilus, *361*; subg. Blepharacis, 361
Eucladium, 299
Eurhynchium, 94; hians, 25, *139*, 349; pulchellum, 347+; riparioides, 10+
Evernia mesomorpha, 317+

Fabronia abyssinica, 139, 140; angolensis, 139; goetzei, 139; guenzei, 139; guetzii, 140; hampeana, 107; leikipiae, 139, 140; longipila, 139, 141
Filson, R. B. An occurrence of Collema pustulatum Ach. in north Australia, 130
Fissidens, 201, 215, 337+; bryoides, 10+, 346+; **buckii**, sp. nov., 74+, 75*; donnellii, 74; flavosetus, 76; gardneri, 76; limbatus, 394; marginatus, 137, 140; **quisqueyanus**, sp. nov., 74+, 75*; repandus, 76; subexasperatus, 137, 140; taxifolius, 10+
Flavopunctelia, 367+
Floribundaria floribunda, 138, 141; patentissima, 138, 140
Fontinalis antipyretica, 10+; dalecarlica, 10+; novae-angliae, 10+
Forsstroemia, 190+; ohioensis, *190*; producta, 190+, 191*, 192*; trichomitria, 190+, 191*
Fossombronia, 337+; angulosa, 339; caespitiformis, 339; cristula, 337+, 339*, 340*, 341*; japonica, *339*; kashyapii, 339; longiseta, 339; pusilla, 339+
Frahm, J.-P. Campylopus aureus in the Hawaiian Islands, 359
Frisvoll, A. A. Lectotypifications including nomenclatural and taxonomical notes on Ditrichum flexicaule sensu lato, 31
Funaria hygrometrica, 187, 300, 327+, 326*, 328*, 330*, 331*; microstoma, 187; salsicola, 187

Garovaglia, 361
gemmae, development of in Oedipodiella, 69+
Geothallus, 329+
gibberellin, modulation of amylolytic activity in Marchantia polymorpha, 65+
Gigaspermum, 69
Glime, J. M. *See* Slack, N. G. & J. M. Glime, 7
Globulinella globifera, 356
Glossadelphus, 121+; abruptus, 122+; **guineensis**, comb. nov., 128; **semiscabrus**, comb. nov., 128; truncatulus, 128; **viridis**, comb. nov., 128
Gongylanthus richardsii, 136, 141
Gonohymenia, 285+
Goward, T. Ahtiana, a new lichen genus in the Parmeliaceae, 367
Grimmia, 263; alpicola var. rivularis, 10+; apocarpa var. stricta, 10+; chenii, *362*; himalayana, 362; mollis, 362; nudum, *263*; obtusifolia, 362+, 363*; splachnoides, *82*
Gymnocolea inflata, 77+, 78*
Gymnostomum, 216, 294+; condensum, *307*; microstomum, *294*+; phascoides, *310*; rauanum, *302*; tortile, *307*

Haematomma ochrophaeum, 318
Hale, M. E., Jr. & J. D. Lawrey. Annual rate of lead accumulation in the lichen Pseudoparmelia baltimorensis, 5
Haplodontium, *28*
Haplomitrium, 330, 341
Harris, R. C. (review), M. Pluntke. Die Flechtenflora Kubas (Flora Lichenum Cubensis). Bibliographie, 282
Harveya vesicularioides, gen. & sp. nov, 23+, 24*
Hawaii, Campylopus aureus in, 359+
Henssen, A., B. Büdel & T. H. Nash III. Three new species of Lichinella described from Mexico, 285
Herberta, 341
Hermann, F. J. & W. A. Weber. Occurrence of Cynodontium gracilescens in North America (Colorado), 26
Heterodermia speciosa, 318
Holomitrium, 94
Homalothecium afro-striatum, 139, 140
Hookeria, 121+; apiahiensis, *125*; araucariae, *125*; caudifrons, *125*; chrysophyllopodia, *127*; cupressiformis, *124*; cymbifolia, *126*; diversifolia, *127*; emarginata, 128; erythrochaete, *124*; filiformis, *124*+; flavescens, *128*; leptorhyncha (sic), *124*; leptorrhyncha, *123*+; leucolomoides, *125*; obtusissima, *128*; pallescens, 123+; papillata, *125*; pernutans, *128*; philonotula, *124*; pilifera, *125*; pilifera f. major, *125*; pilotrichelloides, *127*; pilotrichoides, *127*; plumicaulis, *128*; pseudo-pilifera, *124*+; punctata, 128; recurvula, 128; sect. Hypnella, *121*+; sect. Hypnella subsect. Cupressinadelphus, 124; subsect. Euhypnella, *123*+; subsect. Hylotapis, *123*; subsect. Omaliadelphus, *124*; sigmatella, *126*; sigmatelloides, 128; spruceana, *126*; subg. Hypnella, *123*; taylori, *125*; tijucae, *126*; verrucosa, *126*; wrightii, *128*

Hookeriopsis, 121+; pernutans, 128; plumicaulis, 128; sect. Omaliadelphus, 124; taylori, *125*
Huilia crustulata, 20
Hygroamblystegium tenax, 10+
Hygrohypnum, 11; **arsenei**, sp. nov., 22*, 23; eugyrium, 10+; luridum, 22+; micans, 23; molle, 10+; ochraceum, 10+; palustre, *23*; **robinsonii**, sp. nov., 22*; subeugyrium, 10+
Hylocomium splendens, 137+
Hylotapis, *123*
Hymenelia lacustris, 20
Hymenophyton, 342
Hymenostomum, *293*+; exsertum, 310; inoperculatum, *309*; ligulaefolium, *306*; mexicanum, 307; microstomum, *301*+; rostellatum var. phascoides, *310*; subg. Kleioweisia, *309*; tortile, *307*
Hymenostylium, 216
Hyophila, 216, 353+; crenulata, 137, 141; involuta, 356
Hyperphyscia adglutinata, 20
Hypnella, 121+; abrupta, *122*+; araucariae, *125*; brotheri, *127*; caudifrons, *125*; chrysophyllopodia, *127*; cymbifolia, *126*; diversifolia, 122+, distribution map of, 123; emarginata, 128; erythrochaete, *124*; filiformis, *124*+; flavescens, *128*; guineensis, *128*; leptorrhyncha, 122+, distribution map of, 123; pallescens, 122+, distribution map of, 123; pernutans, *128*; philonotula, *124*; pilifera, 122+, distribution map of, 123; pilotrichelloides, *127*; plumicaulis, *128*; pseudo-pilifera, *124*+; punctata, 128; recurvula, 128; semi-scabra, *128*; sigmatella, *126*; sigmatelloides, 128; taylori, *125*; tijucae, *126*; verrucosa, *126*+; viridis, *128*; wrightii, *128*
Hypnum, 190; aduncoides, 140+; austro-pusillum, 244; cupressiforme, 140; holdridgei, 27; pallescens, 10+
Hypocenomyce scalaris, 319+
Hypogymnia physodes, 6, 318+
Hypotrachyna, 380; dactylifera, 19; ensifolia, 20; laevigata, 20; **polydactyla**, comb. nov., 19+; subsaxatilis, 19+

IRELAND, R. R. A new species of Cynodontium from Mexico, 372
Isopterygium dubyi, 139, 141

JANSSENS, J. A. Leucobryum albidum from the Holocene, 120
JOHNSON, A. *See* CULBERSON, C. F., W. L. CULBERSON & A. JOHNSON, 380
Jungermannia leiantha, 77+, 78*

KEENER, C. S. (review), A. Cronquist et al. Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. Volume 4. Subclass Asteridae (except Asteraceae), 60
KEENER, C. S. (review), R. A. Day. How to Write and Publish a Scientific Paper. 2nd ed., 59
KEENER, C. S. (review), W. Day. Genesis on Planet Earth, 163
KIRKPATRICK, H. E. *See* ROHRER, J. R. & H. E. KIRKPATRICK, 24

LAFARGE-ENGLAND, C. & D. H. VITT. A taxonomic study of Tayloria hornschuchii and T. froelichiana in North America, 82
LAWREY, J. D. *See* HALE, M. E., JR. & J. D. LAWREY, 5
lead, accumulation in Pseudoparmelia baltimorensis, 5+
Lecanactis, 132
Lecanora campestris, 20; coilocarpa, 318; muralis, 6; rupicola, 20; subfusca s.l., 318+; symmicta, 318
lecanoric acid, 132
Lecidea aeruginosa, 20; heppii, 20; holopolia, 20; insularis, 20; nylanderi, 20
Leiomela africana, 138, 140
Lejeunea, 350; flava subsp. tabularis, 136, 141; rhodesiae, 136, 141; ulicina subsp. ocellifera, 136, 141
Lempholemma chalazanum, 20
Lepidopilidium, 124
Lepidozia cupressina, 141; cupressina subsp. natalensis, 135; cupressina var. cupressina, 135, 141; lacerata *135*; pearsonii var. lacerata, 135, 141; stuhlmannii, 136, 141
Lepraria sp., 318
Leprocaulon microscopicum, 20
Leproplaca chrysodeta, 20
Leptochidium albociliatum, 20
Leptoclaena graciliseta, *29*
Leptodon, 194+; smithii, 194; smithii var. beccarii, 138; var. smithii, 138
Leptodontium, 215+, 390; excelsum, 215; viticulosoides var. exasperatum, 216; var. panamense, *216*; var. sulfureum, 216; var. viticulosoides, 216
Leptogium contortum, 20; digitatum, 20; teretiusculum, 20
Leptorhaphis epidermidis, 318
Leptostomum pusillum, *30*
Leptotrichum brevifolium, *33*; crispatissimum, *32*+; flexicaule subsp. brevifolium, *32*+, *37**; flexicaule var. brevifolium, *33*+; var. compactum, *36*; var. condensatum, *36*; var. longifolium, *32*+, *39**; var. sterile, *33*; infuscatum, *32*+, *39**; sterile, *33*
Leskeodon, 124; auratus, 124
Letharia, 321+; columbiana, 321; vulpina, 321
Lethocolea congesta, 136, 140
Leucobryum, 94; albidum, 120*; cucullatum, 137, 140; cucullatum var. rutenbergii, 137; madagassum, 137, 140
Leucodon, 194+; assimilis, *138*; capensis, *138*; julaceus, 194*; maritimus, 138
Leucodontopsis, 194
Leucophanella revoluta, 237
Leucophanes albescens, 95; brasiliense, 94, 96*; calymperatum, 94+, 95*, 96*; candidum, 94, 96*; fragile, *236*; octoblepharioides, 95, 97*; prasiophyllum, 95*, 96*; rodriguezii, 94+; serratulum, 94; seychellarum, 96*, 97*; tahiticum, 95*; unguiculatum, 94
LI, Q.-Y. *See* BASILE, D. V., M. R. BASILE, Q.-Y. LI & W. A. CORPE, 77
lichens, additions to flora of Arizona, 19+; cast in metal, 64*; effects of burning on sand prairie community, 110+; lead accumulation in Pseudoparmelia baltimorensis, 5+
lichexanthone, 19
Lichinella, 285+; americana, 287+, 286*, 288*, 292*; **flexa**, sp. nov., 287+, 288*, 289*, 291*; **intermedia**, sp. nov., 285+, 286*, 288*, 290*; robusta, 285+, 289*, 292*; **robustoides**, sp. nov., 290+, 288*, 289*, 291*; stipatula, 287+, 288*, 292*
LIGHTOWLERS, P. J. Tortula lithophila Dus. is Sarconeurum glaciale (C. Muell.) Card. et Bryhn, 365
Lindbergia patentifolia, 139, 140
literature, on hepatics & anthocerotes, 143, 404; on lichens, 41, 148, 269, 410; on mosses, 48, 157, 275, 416
lividic acid, 19
Lobaria amplissima, 320; pulmonaria 318+; quercizans, 318+
LOOMIS, P. D. & N. C. MARAVOLO. Modulation of amylolytic activity by gibberellin in the hepatic, Marchantia polymorpha, 65

Lophochaete, 341
Lophocolea bidentata, 347; heterophylla, 10+, 346+
Lopholejeunea, 350
Lophozia decolorans, 136, 141
Lorentziella, 69
Luisierella, 353
LUKEN, J. O. Zonation of Sphagnum mosses: Interactions among shoot growth, growth form, and water balance, 374

Macromitrium, 94
MAGILL, R. E. *See* CROSBY, M. R., B. H. ALLEN & R. E. MAGILL, 121
MAHU, M. Tetradontium brownianum (Dicks.) Schwaegr. (Bryatae: Tetraphidaceae) nuevo para Chile, 118
Malaysia, synopsis of Calymperes in, 98+; Syrrhopodon in, 223+
Mannia fragrans, 184
MARAVOLO, N. C. *See* LOOMIS, P. D. & N. C. MARAVOLO, 65
Marchantia, 72+ 329+, 331*; polymorpha, 65+
Marsupella, 329+, 331*
MCQUEEN, C. B. Patterns of variation in Sphagnum capillifolium sensu lato, 255
MCQUEEN, C. B. Spatial pattern and gene flow distances in Sphagnum subtile, 333
MCQUEEN, C. B. Spore morphology of four species of Sphagnum in section Acutifolia, 1
Meiothecium, 121
Metzgeria conjugata, 10+
Mexico, new genus of Hookeriaceae, 23+; new species of Cynodontium, 372+; notes on Pylaisiadelpha, 27+; three new species of Lichinella, 285+; two new species of Pottiaceae, 353+; two undescribed species of Hygrohypnum, 22+
Micarea peliocarpa, 20
Microlejeunea ulicina, *136*
Mielichhoferia, 28+, 202, 219; ampullacea, *29*; andina, *29*; austro-georgica, *30*; basilaris, *29*; bogotensis, *29*; boliviana, *29*; clavellata, *29*; commixta, *29*; cratericola, 137, 141; cygnicolla, *30*; decurrens, *29*; elongata, 202+; fulvonitens, *30*; hariotii, *29*; himalayana, 29; hymenodonta, *29*; hymenostoma, *29*; javanica, *29*; landii, *29*; latifolia, *30*; lindigii, *29*; linearicaulis, *29*; macrocarpa, 29; madagassa, *29*; mielichhoferiana, 28, 202+; mildbraedii, *29*; multiflora, *29*; nealiae, *29*; pohlioidea, *29*; pulchra, *29*; pulvinata, *29*; schiedeana, *30*; sericea, *30*; serrata, *29*; skottsbergii, *29*; subglobosa, *29*; submacrodonta, *29*; subpohlioidea, *29*; weberbaueri, *29*
MILLER, H. A. (review), R. Grolle & S. Piippo. Annotated Catalogue of Western Melanesian Bryophytes. I. Hepaticae and Anthocerotae, 166
MILLER, H. A. (review), R. Grolle. Nomina Generica Hepaticarum: References, Types and Synonymies, 280
MILLER, N. G. Species concepts in bryophytes: Traditional and innovative approaches. Introduction, 171
MISHLER, B. D. (review), T. Duncan & T. F. Stuessy, eds. Cladistics: Perspectives on the Reconstruction of Evolutionary History, 420
MISHLER, B. D. The morphological, developmental, and phylogenetic basis of species concepts in bryophytes, 207
MISHLER, B. D. the phylogenetic relationships of Tortula: An SEM survey and a preliminary cladistic analysis, 388
Mitthyridium, 235+
MOHAMED, H. & W. D. REESE. Syrrhopodon (Musci: Calymperaceae) in Malaysia and adjacent regions, 223
MOHAMED, H. *See* REESE, W. D. & H. MOHAMED, 98
Molendoa, 216; sendtneriana, 356
Mollia microstoma, *308*; sect. Hymenostomum, *302*; subg. Hymenostomum, *302*; tortilis, *308*; viridula, *302*
Mniadelphus vitianensis, 229
Mniobryum, 200; pergracile, 137
Mnium affine s.l., 346+; ciliare, 183; cuspidatum, 347; hornum, 120; punctatum, 346+; thomsonii, 10+; undulatum, 183
MUELLER, D. M. J. & A. E. RUSHING. Development of the gemmae of Oedipodiella (Musci). I. Scanning electron microscopy and growth in culture, 69
Mycoblastus sanguinarius, 318
Mycocalicium subtile, 319
Mycomicrothelia micula, 318

NASH, T. H., III. Additions to the lichen flora of Arizona III, 19
NASH, T. H., III (review), D. L. Haksworth & D. J. Hill. The Lichen-forming Fungi, 424
NASH, T. H., III. *See* HENSSEN, A., B. BÜDEL & T. H. NASH III, 285
Neckera, 194+; douglasii, 194
Neckeropsis, 190
Neofuscelia loxodes, 382; pyrenaica, 382+; sp., 382+
Neohyophila, 216, 353
Neohypnella, *123*+; chrysophyllopodia, *127*; diversifolia, *127*; mucronifolia, *123, 127*
Neolindbergia, 361
Neosharpiella, 69
Nephroma helveticum, 318; resupinatum, 318+
Nephromopsis, 367+
New Caledonia, genus Parisia in, 361
niche relationships, of mountain stream bryophytes, 7+
NIMIS, P. L. Phytogeography and ecology of epiphytic lichens at the southern rim of the Clay Belt (N-Ontario, Canada), 315
Noteroclada, 337+
Notothylas, 325+
Nyholmiella, 200

Ochrolechia sp., 318
OCHYRA, R. (review), L. V. Bardunov & V. Y. Cherdantseva. Listostebel'nye mkhi Yuzhnogo Primorya (Mosses of the Southern Primorye), 58
Oedipodiella australis, 69+, 70*, 72*; australis var. australis, 69+; var. catalaunica, 69+
Oedipodium, 69+; griffithianum, 69
Ontario, epiphytic lichens of Clay Belt, 315+
Opegrapha, 132+
Orthodontium, 200
Orthotrichum firmum, 138, 141
Oxyrrhynchium hians, 137+; swartzii, *139*
Oxystegus, 216, 293+; tenuirostis, 306

Palamocladium sericeum, *139*
Pallavicinia, 329
Pannaria rubiginosa, 20
Parisia **ciliata**, comb. nov., 361; **laevipila**, comb. nov., 361; neo-caledonica, 361
PARK, M. M. (review), P. Macura. Russian-English Botanical Dictionary, 163
Parmelia, 367+; fraudens, 20; glabroides, 20; mongaensis, 382+; panniformis, 20; polydactyla, *19*+; rubiginosa, 20; saxatilis, 20, 318+, 367; sect. Cyclocheila, *367*; septentrionalis, 318; sphaerosporella, *367*+; sulcata, 318+
Parmeliella triptophylla, 21
Parmelina minarum, 21

Parmeliopsis aleurites, 319+; ambigua, 319+; hyperopta, 319+; placorodia, 318+
Parmotrema cetratum, 21; mordenii, 21; perlatum, 21; simulans, 21
Peccania, 287; cerebriformis, 287
Pellia, 330; borealis, 184+; endiviifolia, 184; epiphylla, 65, 184+, 197, 347; neesiana, 184
Peltigera lepidophora, 21
Pitula obscurans var. deserticola, 287; zahlbruckneri, 287
Peromyscus, 221
Pertusaria albescens, 21; amara, 318; pertusa, 318
Petalophyllum, 337+
Phaeoceros, 325+, 331*
Phaeophyscia adiastola, 21; chloantha, 21; ciliata, 318+; endocoecinodes, 21; erythrocardia, 21; hirsuta, 21; melanchra, 21; nepalensis, 21; nigricans, 21; pusilloides, 318+; rubropulchra, 21
Phascum, 294+, 395; cuspidatum, 310; ludovicianum, *310*; muhlenbergianum, *310*
Philonotis fontana, 137; hastata, 138
Phlychtis argena, 318
Phyllothallia, 337+
Physcia adscendens, 318+; aipolia, 318+; ciliata, 320; erosula, 134; pusilloides, 320; stellaris, 318+
Physcidia wrightii, 383
Physcietum adscendentis, 322
Physcomitrium coorgense, 330
Physconia enteroxantha, 21; detersa, 318+
Piippo, S. (review), A. Miller, H. O. Whittier & B. A. Whittier. Prodromus Florae Hepaticarum Polynesiae, 280
Pinnatella flagellacea, 139, 141
Plagiochasma appendiculatum, 136, 141; eximium, 137, 141
Plagiochila asplenioides, 184, 347; corniculata, 136, 141; lophophora, *136*; porelloides, 10+, 184; tridenticulata, *136*
Plagiomnium ciliare, 10+, 120, 185+; cuspidatum, 10+; ellipticum, 187; medium, 187; rhynchophorum var. reidii, 138; var. rhynchophorum, 137
Platismatia tuckermannii, 318
Platydictya jungermannioides, 346
Pleuridium, 294
Pleurozium schreberi, 183, 375
Pócs, T. *See* Bizot, M., T. Pócs & A. J. Sharp, 135
Pogonatum aloides, 137
Pohlia 200+; andalusica, 204; andrewsii, 204; annotina, 202+; bulbifera, 204; camptotrachela, 202+; cruda, 349; drummondii, 204; filum, 204; nutans, 202, 349; proligera, 204; sphagnicola, 202; tundrae, 204; wahlenbergii, 347+
Polytrichastrum, 8
Polytrichum, 8, 113, 325+; alpestre, 196; juniperinum var. affine, 375; ohioense, 120, 183
Porella abyssinica, 136, 140; hoehnelii, 136, 140; triquetra, 136, 140
Porotrichum cobanense, 115+, 116*; longirostre, 115; plagiorhynchum, 115; pringlei, *115*; undulatulum, *115*
Pottia, 217, 389+; lanceolata, 393, 394*, 397*; starkeana, 393*
Prionodon ciliatus, 138, 140
Pseudocrossidium, 216, 390; replicatum, 356
Pseudocryphaea, 194
Pseudohypnella, 122; guianensis, *126*; mucronifolia, *127*
Pseudoleskeella papillosa, 357
Pseudoparmelia, 367+; baltimorensis, 5*+; caperata, 6; crozalsiana, 21
Pseudoscleropodium purum, 24+, distribution map of, 25
Psilolechia lucida, 21
Psoretum ostreatae, 320
Psorotichia, 287
Pterogonium gracile, 138, 141
Pterygoneurum, 389+; lamellatum, 395, 394*, 399*
Puerto Rico, new species of Fissidens, 74+
Punctelia, 367+; rudecta, 21
Pursell, R. A. Fissidens buckii and F. quisqueyanus, spp. nov. (Bryopsida: Fissidentaceae), from Puerto Rico and the Dominican Republic, 74
Pursell, R. A. (review), Z.-H. Li. A revision of the Chinese species of Fissidens (Musci, Fissidentaceae), 424
Pylaisia, 190+; rhaphidostegioides, *28*
Pylaisiadelpha brasiliensis, *28*; deplanatula, 27; **duellii**, sp. nov., 27*; recurvans, 27; rhaphidostegioides, *27*+; tenuirostris, 27*; tenuirostris var. **rhaphidostegioides**, stat. nov., 28
Pylaisiella selwynii, 77+
Pyrrhobryum spiniforme, 138
Pyxine chrysanthoides, 19+; pringlei, 287

Quebec, Pseudoleskeella papillosa in, 357

Racopilopsis trinitensis, 140, 141
Racopilum cuspidigerum, 184; spectabile, 184
Ramalina americana, 318+; farinacea s.l., 318; paludosa, 385+; sinaloensis, 383+; sp., 383; thrausta, 318
Reese, W. D. & H. Mohamed. A synopsis of Calymperes (Musci: Calymperaceae) in Malaysia and adjacent regions, 98
Reese, W. D. *See* Mohamed, H. & W. D. Reese, 223
Regmatodon secundus, 139+, distribution map of, 140
Renzaglia, K. S. & S. E. Bartholomew. Sporeling development in Fossombronia cristula Aust. with special reference to the apical organization and growth, 337
Rhacomitrium, 294; aciculare, 10+; lanuginosum, 334
Rhizofabronia perpilosa, 139, 140
Rhizomnium pseudopunctatum, 138; punctatum, 10+
Rhynchostegiella holstii, 139, 140
Rhynchostegiopsis, 121
Rhynchostegium serrulatum, 346+
Rhytidiadelphus triquetrus, 183
Riella, 329+; americana, 187
Rigodium kilimandscharicum, 139, 140
Rinodina sp., 318+
Roccellina, 131; accedens, 132; capensis, 132+; cerebriformis, 132; expectata, 132+; **jamesii**, sp. nov., 131+, 133*; terrestris, 132
Rohrer, J. R. & H. E. Kirkpatrick. Pseudoscleropodium discovered in the Great Lakes region, 24
Rushing, A. E. (review), W. Schultze-Motel, ed. Advances in Bryology, vol. 2, 281
Rushing, A. E. *See* Mueller, D. M. J. & A. E. Rushing, 69

Saelania, 294
salazinic acid, 19
Sarconeurum, 365; glaciale, 365+
Scapania nemorosa, 77+; undulata, 10+
Scelerophyton, 132
Schistidium obtusifolium, 362+, 363*
Schizymenium, 28+; **ampullaceum**, comb. nov., 29; **andinum**, comb. nov., 29; **austro-georgicum**, comb. nov., 30; **basilaris**, comb. nov., 29; **bogotense**, comb. nov., 29; **bolivianum**, comb. nov., 29; bryoides, 29; **campylocarpum**, comb. nov., 29; **clavellatum**, comb. nov., 29; **commixtum**, comb. nov., 29; **costaricense**, comb. nov., 29; **cygnicollum**, comb. nov., 30; **decurrens**, comb. nov., 29; **fulvonitens**, comb. nov., 30; **fusiferum**, comb. nov., 29; **gracilisetum**, comb. nov., 29; **hariotii**, comb.

nov., 29; **hymenodontum**, comb. nov., 29; **hymenostomum**, comb. nov., 29; **javanicum**, comb. nov., 29; **landii**, comb. nov., 29; **latifolium**, comb. nov., 30; **lindigii**, comb. nov., 29; **linearicaulis**, comb. nov., 29; **madagassum**, comb. nov., 29; **mildbraedii**, comb. nov., 29; **multiflorum**, comb. nov., 29; **nealiae**, comb. nov., 29; **pohlioideum**, comb. nov., 29; **pulchrum**, comb. nov., 29; **pulvinatum**, comb. nov., 29; **pusillum**, comb. nov., 30; **schiedianum**, comb. nov., 30; **schimperi**, comb. nov., 30; **serratum**, comb. nov., 29; **skottsbergii**, comb. nov., 29; **subglobosum**, comb. nov., 29; **submacrodontum**, comb. nov., 29; **subpohlioideum**, comb. nov., 29; **weberbaueri**, comb. nov., 29

SCHULTEN, J. A. The effects of burning on the soil lichen community of a sand prairie, 110

Sciaromium lescurii, 120

Scopelophila cataractae, 216, 354; ligulata, 199+, 216, 354; **norrisii**, sp. nov., 353+, 355*

Scoliciosporum chlorococcum, 318

Sedum moranense, 210

Sematophyllum, 23, 27; adnatum, 347; caespitosum, *139*; crassirete, 139, 141; elgonense, 139; plagiothecioides, 139, 141; sinusosulum, 139, 140; subbrachytheciforme, 139, 140; subpinnatum, 139

Sewardiella, 337+

SHARP, A. J. *See* BIZOT, M., T. PÓCS & A. J. SHARP, 135

SHAW, J. Nomenclatural changes in the Bryaceae subfamily Mielichhoferioideae, 28

SHAW, J. The relevance of ecology to species concepts in bryophytes, 199

SHAW, J. & B. H. ALLEN. Anatomy and morphology of the peristome in Discelium nudum (Musci: Disceliaceae), 263

Shoenobryum robustum, 138, 140

Siphonolejeunea olgae, 350

SLACK, N. G. & J. M. GLIME. Niche relationships of mountain stream bryophytes, 7

SMITH, D. K. Lectotypification and taxonomic notes for Porotrichum cobanense C. M., 115

SPENCE, J. R. Hepatics new to Wyoming, 30

spermatogenesis, in Bryopsida, 325+

Sphacelaria, 340

Sphaerocarpos, 329

Sphagnum, 8+, 201+, 239, 325+, 376+; andersonianum, 255+; angustifolium, 374+; bartlettianum, 1+, 3*; capillifolium s.l., 255+; capillifolium var. capillifolium, 255; var. tenellum, 255+; ceylonicum, 137; fallax, 377; fuscum, 374+; lescurii, 1+; magellanicum, 374+; nemoreum, 1+, 2*, 255+, 377; pulchrum, 184; quinquefarium, 261; recurvum, 201; rubellum, 1+, 2*, 255+; spore morphology of, 1+; subtile, 1+, 3*, 255+, 333+

Splachnobryum, 215

Splachnum, 65; froelichianum, *82+*; hornschuchianum, *84*; lingulatum, *82+*; longicollum, *82+*; punctatum, *82+*; reticulatum, *82+*; tenue, 83

Squamidium biforme, 138, 140

STARK, L. R. Phenology and species concepts: A case study, 190

STARK, L. R. (review), A. F. Dyer & J. G. Duckett, eds. The Experimental Biology of Bryophytes, 282

Staurothele hazslinskyi, 21

STEERE, W. C. (review), R. Düll. Exkursions Taschenbuch der Moose, 421

STEERE, W. C. (review), H. Inoue, ed. Studies on Cryptogams in Southern Chile, 164

STEERE, W. C. (review), W. B. Schofield. Introduction to Bryology, 422

Stegonia, 389+; latifolia, 393+, 394*

Stenodictyon wrightii, 128

Stereocaulon, 113; colensoi, 380; meyeri, 134

Stereophyllum nitens, 139, 141; radiculosum, 139

STONEBURNER, A. Variation and taxonomy of Weissia in the southwestern United States. II. Taxonomic treatment, 293

STOTLER, R. E. & B. CRANDALL-STOTLER. Recent literature on hepatics and anthocerotes—105–106: 143, 404

Strepsilejeunea brevifissa, *136*

Streptopogon, 388+; erythrodontus, 394*; erythrodontus var. rutenbergii, 137

strip mining, analysis of disturbance on bryophyte species diversity, 344+

Synalissa, 287

Synthetodontium, 28+; costaricense, *29*

Syntrichia, 388+

Syrrhopodon, 98+, 223+; aberrans, *232+*; aberrans var. laevis, *233*; acutissimus, *236*; affinis, *225*; albidus, 225+, 233*, 234*; albovaginatus, 225+, 231*; albovirens, 236; amoenus, *236*; aristifolius, 101, 223+, 250*; atrovirens, *101*; banksii, *236*; banksii var. compactus, *236*; bicolor, *105*; borneense, *236*; borneensis, *237*; caespitosus, *236*; calymperidioides, *250*; campylopus, *105*; cavifolius, 223+; ciliatus, 223+, 240*; confertus, 225+, 237*; crassinervis, *105*; croceus, 225+, 247*; curranii, *225*; diversiretis, *227*; durigolensis, *229*; elimbatus, *241*; fallax, 223+; fastigiatus, *225*; fimbriatulus, 225+, 245*; fimbriatus, 239+, *244*; flammeonervis, 225+, 235*; flammeonervis var. robustus, *234*; francii, *246*; fraserianus, *232*; gardneri, 102, 223+, 226*; glaucovirens, *246*; gracilis, *243*; graeffeanus, *229*; greenwoodii, *242*; griffithii, *243*; hasegawae, *105*; herzogii, *240*; hispidissimus, *241*; hispidociliatus, *242*; horridulus, *239*; immarginatus, *225*; involutus, 225+, 238*; japonicus, 100, 225+, 228*; javanicus, *227*; kerrii, *225*; kindelii, *229*; konoi, *227+*; kuniensis, *245*; laboeanus, 231; laevigatus, *228+*; laevis, 225+, 234*; larminatii, *223+*; ledruanus, *240*; ledruanus var. involutus, *240*; leratii, *229*; leucophanoides, *232*; ligulifolius, *232*; lilliei, *243*; lonchophyllus, *227*; longifolius, *250*; loreus, 101, 225+, 251*; ludovicae, *243*; macrotristichus, *229*; mammillatus, *229+*; mammillosus, *243*; micholitzii, *229*; microbolax, *236*; mooreae, *100*; morokae, *227*; muelleri, 225+, 248*; mujuensis, *229*; novae-valesiae, *232*; nymanii, *102*; oahuensis, *245+*; parvicaulis, *229*; patens, *242*; patulifolius, *240*; perarmatus, 242; perasper, *229*; perakensis, *105*; perlongifolius, *250*; philippinensis, 246; platycerii, 232; polytrichoides, *246*; prolifer, 232, 393*; pseudomammillatus, *229*; quintasii, 227; rectifolius, *241*; revolutus, *236+*; richardsii, *243*; ridleyi, *236*; rigescens, *236+*; robbinsii, *101*; robustiusculus, 99; rotundatus, *236*; rubrotomentosus, *244*; rufescens, *236+*; scalariformis, *242*; schiffnerianus, *227*; semperi, *243*; serra, *229*; smithii, *229*; spiculosus, 223+, 241*, 242*; strictifolius, *101*; strictus, *225+*; subacaulis, *247*; subconfertus, *236*; subelimbatus, *243*; subpolytrichoides, *246*; subtheliphyllus, *236*; subulatus, *249*; tahitensis, *104*; taitensis, *103*; terebellum, 232; texanus, 98; tosaensis, *243*; trachyphyllus, 223+, 244*; treubii, *227*; tristichellus, *229*; tristichus, 225+, 230*; tristichus var. viridis, *229*; tsushimae, 246; tuberculosus, *101*; victorianus, *229*; vitiense, *100*; woropkensis, *246*

Systylium splachnoides, *82+*

Targionia hypohylla, 136

Taxiphyllum deplanatum, 347

Taxithelium, 121+; planum, 128

Tayloria froelichiana, 82+, 88*, 89*, distribution map of, 90; hornschuchii, 82+, 84*, 86*, distribution map of, 87; serrata, 88+; serrata var. flagellaris, 90; subg. Cyrtodon, 83; tenella, 83, 92
TEHLER, A. Roccellina jamesii Tehler sp. nov. and Dirina insulana (C. Tav.) Tehler (Roccellaceae) from Ascension Island, 131
Teniolophora, 356
Telaranea nematodes, 136, 141
Tetradontium brownianum, 118*+, distribution map of, 118
Tetraplodon mnioides, 137, 141
Thamnium undulatulum, 115
Thamnobryum alleghaniense, 10+; tumidicaule, 115
THIERS, B. M. Austrolejeunea bidentata, a new species of Lejeuneaceae subfamily Tuyamaelloideae from Australia, 350
THIERS, B. M. (review), P. Tixier. Contribution à la Connaissance des Cololejeuneoideae, 422
Thuidium delicatulum, 10+, 25, 120, 347; pygmaeum, 346; plumulosum, 103; recognitum, 347
Thyridium 224; crassinerve, *105*
Timmiella barbuloides, 330
TIXIER, P. The genus Parisia in New Caledonia, 361
Tomenthypnum falcifolium, 201; nitens, 201
Tortella, 216+, 306; fragilis, 219; fragilis var. fragilis, 217+; var. tortelloides, 217+; humilis, 393*; tortuosa, 219
Tortula, 208+, 215+, 365, 388+; abruptinervis, 365+; ammonsiana, 392+; amphidiacea, 391+, 398*; amplexa, 393+, 395*, 397*; andicola, 137, 391+, 395*, 397*; bartramii, 392; bogotensis, 391+, 395*; bolanderi, 391+, 398*, 400*; brevipes, 393+, 398*, 399*; cainii, 217, 392+; californica, 393+, 395*, 399*; canescens, 392+; caninervis, 391+, 399*; cavallii, 137, 141; chisosa, 392+; densifolia, 393+, 397*; **eckeliae**, sp. nov., 354+, 355*; erubescens, *137*; fragilis, 137, 391+, 395*, 398*, 399*; heteroloma, 393+; hildebrandtii, *137*; inermis, 393+, 395*; intermedia, 213; jamaicensis, *305*; laevipila, 392+, 395*; latifolia, 392+, 397*; lithophila, *365*+; mniifolia, 356, 391+; mucronifolia, 390+, 395*, 398*, 399*; muralis, 197, 393+, 396*, 398*, 399*; norvegica, 217, 390+, 396*, 398*; obtusissima, 390+, 396*; pagorum, 392+, 399*; papillosa, 393+, 397*, 400*; papillosissima, 390+; plinthobia, 217; princeps, 210, 400+, 396*, 398*; quitoensis, 211, 391+, 397*, 400*; ruraliformis, 213, 391+, 396*; ruralis, 212+, 389+, 396*, 398*, 399*; schmidii, *137*; sinensis, 392; subulata, 356, 393+, 395*, 399*
Trachymitrium borneense, *236*
Trachypodopsis serrulata var. serrulata, 138, 141
Trachypus bicolor, 138; bicolor var. viridulus, 139
Trematodon schroederi, *137*, 140; victoriae, 137
Treubia, 337+
Trichocolea tomentella, 10+
Trichodon, 294
Trichosteleum, 122; jonesii, 139, 140; mammillipes, 139, 141
Trichostomum, 215, 293+, 354; brachydontium, 294+; crispulum, 303*, 311, 356; crispulum var. cucullatum, 295+, 303*; cylindricum, *306*+; flexicaule, *33*; flexicaule var. densum, *33*, *36*; jamaicensis, *305*; subg. Oxystegus, 305+; subg. Trichostomum, 305+; tenuirostre, *306*
Tridontium, 356
Tritomaria exsecta, 136, 141; quinquedentata, 30
Tuckermannopsis, 367

Ulota, 190
Usnea hirta, 318+; subfloridana, 318
usnic acid, 367+

Verrucaria aethiobola, 21
Vesicularia amphibola, 23; tenaci-inserta, 140, 141; vesicularis, 121
vitamin B_{12}, stimulation of growth and development of Jungermannia leiantha and Gymnocolea inflata, 77+
VITT, D. H. (review), K. Walther. A. Engler's Syllabus der Pflanzenfamilien. V. 2. Bryophytina. Laubmoose, 59
VITT, D. H. *See* CAO, T. & D. H. VITT, 362
VITT, D. H. *See* LAFARGE-ENGLAND, C. & D. H. VITT, 82

WEAKS, T. E. *See* ENGELMANN, M. H. & T. E. WEAKS, 344
WEBER, W. A. *See* HERMANN, F. J. & W. A. WEBER, 26
Weissia, 217, 263, 293+, 354; andersoniana, 295+, 303*; andrewsii, *295*+, 303*; brandegei, *302*; campylocarpa, *29*; ciliata, *239*; condensa, 295+, 303*; controversa, 183, 196+, 293+, 303*, 393*; controversa var. crispata, 304; crispata, 304; curvicaulis, *302*; euteiches, *308*; glauca, *295*+; hedwigii, 295+, 303*; inoperculata, 295+, 303*; involuta, *307*; jamaicensis, 295+, 303*; ligulaefolia, 295+, 303*; longiseta, *302*+; ludoviciana, 302+; micro-odonta, *302*; microstoma, *308*; muhlenbergiana, 302+; nudum, *263*; **occidentalis**, comb. nov., 310+; perligulata, *295*+, *303**; phascopsis, 310; rostellata, *310*; rostellata var. phascoides, *310*; sect. Hymenostomum, *301*; sharpii, 295+; splachnoides, *82*+; subg. Astomum, *302*; subg. Hymenostomum, *302*; sweetii, *295*+, 303*; tortilis, *295*+; viridula, *302*+; viridula var. amblyodon, *304*; var. australis, *302*+; var. densifolia, *304*; var. gymnostoma, *312*; var. gymnostomoides, *304*; var. nitida, *302*+; var. stenocarpa, *304*; wolfii, *302*+
WHITTEMORE, A. (review), H. Bischler. Marchantia L., the New World Species, 164
WYATT, R. Species concepts in bryophytes: Input from population biology, 182
Wyoming, hepatics new to, 30

Xanthoparmelia, 367+; mexicana, 287; scabrosa, 382; subcentrifuga, 21
Xanthoria fallax, 318; polycarpa, 318+
Xanthorion, 322; parietinae, 322

ZANDER, R. H. An essay on species concepts developed duing revisionary studies, 215
ZANDER, R. H. Two new species of Pottiaceae from Mexico, 353
Zygodon caespitosus, *35*; californicus, *35*